



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION



Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.

PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
1/2"

LENGTH:
10 Feet

BUNDLE:
440



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
600	1/2"	0,109	0,840	0,578	0,852	0,836	1,77	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION

Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.



PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
3/4"

LENGTH:
10 Feet

BUNDLE:
440

**SUNLIGHT
RESISTANT**



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
440	3/4"	0,113	1,050	0,780	1,064	1,046	2,16	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION

Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.

PRODUCT NAME :

Conduit Pvc Pipe

DIAMETER:


1"

LENGTH:

10 Feet

BUNDLE:

360



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
360	1"	0,133	1,315	1,004	1,330	1,310	2,56	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION


Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.

PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
1 1/2"

LENGTH:
10 Feet

BUNDLE:
225



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
225	1 1/2"	0,145	1,900	1,564	1,918	1,894	3,15	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC

PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION

Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.



PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
1 1/4"

LENGTH:
10 Feet

BUNDLE:
330

**SUNLIGHT
RESISTANT**



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
330	1 1/4"	0,140	1,660	1,335	1,677	1,655	3,15	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION


Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.

PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
2"

LENGTH:
10 Feet

BUNDLE:
140



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
140	2"	0,154	2,375	2,021	2,393	2,369	3,15	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION


Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.

PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
2 1/2"

LENGTH:
10 Feet

BUNDLE:
93



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
93	2 1/2"	0,203	2,875	2,414	2,890	2,868	3,15	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION


Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.

PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
3"

LENGTH:
10 Feet

BUNDLE:
88



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
88	3"	0,216	3,500	3,008	3,515	3,492	3,94	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION

Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.

PRODUCT NAME :

Conduit Pvc Pipe

DIAMETER:

3 1/2"


LENGTH:

10 Feet

BUNDLE:

63

**SUNLIGHT
RESISTANT**



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
63	3 1/2"	0,226	4,000	3,486	4,015	3,992	3,94	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION

Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.



PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
4"

LENGTH:
10 Feet

BUNDLE:
57

**SUNLIGHT
RESISTANT**



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
57	4"	0,237	4,500	3,961	4,515	4,491	3,94	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION

Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.



PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
5"

LENGTH:
10 Feet

BUNDLE:
38

**SUNLIGHT
RESISTANT**



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
38	5"	0,258	5,563	4,975	5,593	5,553	3,94	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION

Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.



PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
8"

LENGTH:
10 Feet

BUNDLE:
18

**SUNLIGHT
RESISTANT**



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
18	8"	0,322	8,625	7,853	8,670	8,610	5,90	10	

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**



**AMERICAN
PVC PIPES**

CONDUIT PVC PIPE SCH 40

PVC Electrical Conduit and Power Duct is unaffected by electrolytic or galvanic corrosion.



CERTIFIED

PRODUCT INFORMATION

Rigid nonmetallic pvc conduit, schedule 40 with integral couplings, underground and aboveground usage.


PRODUCT NAME :
Conduit Pvc Pipe

DIAMETER:
6"

LENGTH:
10 Feet

BUNDLE:
26

**SUNLIGHT
RESISTANT**



PRODUCT SPECIFICATIONS

Bundle	Size (in.)	T Min. (E)	OD (DE)2	Di	Da	Db	Lc	Long Min.(ft)	Long Min.(ft)
26	6"	0,280	6,625	5,986	6,658	6,614	5,90	10	20

Manufactured with rigid polyvinyl chloride (pvc-u) compound according to the specifications of the ul 651 and ASTM D 1784 STANDARD.



CONTACT US

sales@americanpvcpipes.com

OUR OFFICE

1207 Delaware Ave
Wilmington, DE 19806

GET CONNECT

www.americanpvcpipes.com



**AMERICAN
PVC PIPES**